

Manufacturer	MIRAGE				
Type	G4				
Size	M4	main capacity	150-190	reserve capacity	pr160-op176
DOM	Oct-09				
S/n	8754				
Harness	color - if applicable	cond	type	size / length - if applicable	note
Webbing	BLACK		4		
3 Ring	SS		5		
chest strap	BLACK		4 TYPE 8		
c/s hardware	SS		5		
l/s hardware	SS		5		
mlw	BLACK		4	14DD	-1 EXT YOKE
mlw hardware	SS		5		
 housings	STD		5		
Hip Lateral			4 std		-1" from std measurement
Leg Straps	BLACK		4 DUAL LAYER TYPE 8	16"	
Container	CORDURA		4		
Material	cordura				
binding tape	BLACK		4		
riser flaps - plastic			4		
main stiffeners			4		
reserve stiffeners			4		
main grommets			4		
reserve grommets			4		
reserve handle	BLUE		5 PILLOW		
Cutaway handle	PINK		5 PILLOW		
reserve freebag			5		
reserve pilot chute			5		
reserve bridle			5		
RSL	STD				
Main Risers	BLUE		4 TYPE 17		
Main D Bag	MAGNETIC		4		
Main Pilot Chute	WHITE		4 KILL LINE		
Main P/C handle	PINK		4 HACKY		

Manufacturer	PD				
Type	PR				
Size	160				
DOM	Nov-09	REPACKS		9 USES	0
s/n	045113				
	type	condition	trim		
Suspension lines	725 SPECTRA		5		
Steering Lines	1000 SPECTRA		5		
top skin fabric	F111		5		
bottom skin fabric	F111		5		
crossports			5		
load bearing ribs	F111		5		
non loadbearing ribs	F111		5		
apex - p/c attachment point	F111		5		
center cell center rib	F111		5		
center cell load bearing seams - top skin	F111		5		
center cell load bearing seams - bottom skin	F111		5		
stabilizers	F111		5		
stabilizer attachment points	F111		5		
slider stops	F111		5		
slider	F111		5		
links	PD SLINKS		5		
Trim differential					
a5-a1					
a5-ust1					
brk - toggle					
Ratings					
excellent					
good					
fair -					
poor					

Manufacturer	AERODYNE		
Type	PILOT		
Size	150	200 JUMPS	
DOM	Dec-09		
s/n	PT150-12690		
	type	condition	note
Suspension lines	725 SPECTRA	4	
Steering Lines	1000 SPECTRA	1	TOGGLE LINES REPLACED -W- 1000LB SPECTRA
top skin fabric	ZP	4	
bottom skin fabric	ZP	4	
crossports		4	
load bearing ribs	ZP	4	
non loadbearing ribs	ZP	4	
apex - p/c attachment point	ZP	4	
center cell center rib	ZP	4	
center cell load bearing seams - top skin	ZP	4	
center cell load bearing seams - bottom skin	ZP	4	
stabilizers	ZP	4	
stabilizer attachment points		4	
slider stops		4	
slider	STD	4	
links	PD SLINKS	4	
Trim differential			
a5-a1	2"		
a5-ust1	9"		
brk - toggle	12.5"		