

	Type	Size	DOM	S/n	Customer name
Manufacturer	UPT VIIIIM	V351	Jul-15	61978	
Reserve Capacity	PD 143-160				Inspected by
Main Capacity	170-190				JHL
AAD Info	AIRTEC	CYPRES II	Aug-15	A5431	Date of Insp
JUMPS ON RIG	0				27 JAN 2016
Harness	color - if applicable	cond	type	size / length - if applicable	note
Webbing	PURPLE	5	7		
3 Ring		5	SS		
chest strap	PURPLE	5	TY 8 WEBBING	25"	
c/s hardware	N/A	5			
l/s hardware		5	SS		
mlw	PURPLE	5	TY 7 WEBBING	17.5"	
mlw hardware		5	SS		
Hip Lateral		5	PADDED	PLUS 1"	
housings		5	STD		
leg straps	PURPLE	5	TY 8 WEBBING	36"	
Binding tape	PURPLE	5	STD		
BOC	BLACK	5	STD		
leg pads		5	SPACER FOAM		
Backpad		5	SPACER FOAM		
Container		5			
Material	cordura	5			
binding tape		5			
riser flaps - plastic		5			
main stiffeners		5			
reserve stiffeners		5			
main grommets		5			
reserve grommets		5			
reserve handle		5	LOW PROFILE D TYPE		
Cutaway handle		5			
reserve freebag		5	STD		
reserve pilot chute		5	STD		
reserve bridle		5	STD		
RSL		5	SKYHOOK		
Main Risers		5	TY 17	20"	
Main D Bag		5	UPT		
Main Pilot Chute		5	ZP	24"	
Main P/C handle	PURPLE	5	HACKEY		
Ratings					
excellent	5				
good	4				
fair -	3				
poor	2				
not airworthy	1				

Manufacturer	PD	REPACKS	1		Customer name
Type	OPTIMUM	USES	0		
Size	170				Inspected by
DOM	7-1015				JHL
s/n	13459				Date of Insp
					27-Jan-16
	type	condition			
Suspension lines	725 SPECTRA	5			
Steering Lines	1000 SPECTRA	5			
top skin fabric	F111	5			
bottom skin fabric	F111	5			
crossports		5			
load bearing ribs	F111	5			
non loadbearing ribs	F111	5			
apex - p/c attachment point	STD	5			
center cell center rib	F111	5			
center cell load bearing seams - top skin	F111	5			
center cell load bearing seams - bottom skin	F111	5			
stabilizers	F111	5			
stabilizer attachment points	F111	5			
slider stops	STD	5			
slider	F111	5			
links	PD SOFT	5			
Trim differential		N/A			
a5-a1		N/A			
a5-ust1		N/A			
brk - toggle		N/A			
Ratings					
excellent	5				
good	4				
fair -	3				
poor	2				
not airworthy	1				

Manufacturer	PD	customer:	
Type	STORM	date of insp.:	27-Jan-16
Size	170	inspected by:	JHL
DOM	Oct-14		
s/n	TF170-002406		
# OF JUMPS < 50	type	condition	note
Suspension lines	725 TREATED SPECTRA	5	
Steering Lines	1000 TREATED SPECTRA	5	
top skin fabric	ZP	5	
bottom skin fabric	ZP	5	
crossports		5	
load bearing ribs	ZP	5	
non loadbearing ribs	ZP	5	
apex - p/c attachment point	STD	5	
center cell center rib	ZP	5	
center cell load bearing seams - top skin	ZP	5	
center cell load bearing seams - bottom skin	ZP	5	
stabilizers	ZP	5	
stabilizer attachment points	STD	5	
slider stops	STD	5	
slider	ZP	5	
links	PD SOFT	5	
		5	
Trim differential		5	
a5-a1	N/A	5	
a5-ust1	N/A	5	
brk - toggle	N/A	5	
Ratings			
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		