

Harness Container

Desert Skies Parachute Rigging - 520-233-1245 - info@desertskeysrigging.com - www.desertskeysrigging.com

Manufacturer	Type	Size	DOM	S/n	Customer name
VELOCITY SPORTS	INFINITY	154	Mar-02	6561	
Reserve Capacity					Inspected by
Main Capacity					JHL
AAD Info	AIRTEC	CYPRES II	Jun-11	69013	Date of Insp
			4 YR INSP COMPLETED		11/23/17
OWNERS DIMENSIONS	5'7"	165 LB			OWNER SAYS RIG FIT SLIGHTLY SMALL
Harness	color - if applicable	cond	type	size / length - if applicable	note
Webbing	BLACK	4	TYPE 7		
3 Ring	SS	4	MINI		
chest strap	BLACK	4	TYPE 8	20"	
c/s hardware	NA				
l/s hardware	SS	4	DJSSA		
mlw	TYPE 7	4	TYPE 7	17"	
mlw hardware	SS	4	DJSSA		
housings	STD				
leg straps	BLACK	4	TYPE 8	32"	DOUBLE LAYER
Hip Lateral					
BOC	BLACK	5			BRAND NEW, REPLACED DURING INSPECTION
leg pads	BLACK	3	STD PADDING	17"	
Container					
Material	BLACK	4	CORDURA		
binding tape	BLACK	4			
riser flaps - plastic	BLACK	4			
main stiffeners		4			ALL INTACT
reserve stiffeners		4			ALL INTACT
main grommets		4			
reserve grommets		4			
reserve handle		4	D RING		
Cutaway handle	RED	4	PILLOW		
reserve freebag	STD	4			
reserve pilot chute	STD	4			
reserve bridle	STD	4			
RSL	STD	4			BRASS SHACKLE
Main Risers	BLACK	4	TY 17 1"	19"	CAD RINGS
Main D Bag	BLACK	3	STD STOWS		SOME MINOR DAMAGE TO GROMMETS
Main Pilot Chute	BLACK	4	ZP	24"	
Main P/C handle	BLACK	4	HACKEY		
Ratings					
excellent	5				
good	4				
fair -	3				
poor	2				
not airworthy	1				

Main Parachute

Desert Skies Parachute Rigging - 520-233-1245 - info@desertskiesrigging.com - www.desertskiesrigging.com

Manufacturer	AERODYNE	customer:	
Type	PILOT	date of insp.:	11/23/17
Size	168	inspected by:	JHL
DOM	Jun-14	JUMPS	100
s/n	13654		
	type	condition	note
Suspension lines	700 HMA	4.5	MAIN AND LINES ARE ALL IN EXCELLENT CONDITION
Steering Lines	1000 HMA	4.5	
top skin fabric	ZPX	4.5	
bottom skin fabric	ZPX	4.5	
crossports		4.5	
load bearing ribs	ZPX	4.5	
non loadbearing ribs	ZPX	4.5	
apex - p/c attachment point		4.5	
center cell center rib	ZPX	4.5	
center cell load bearing seams - top skin	ZPX	4.5	
center cell load bearing seams - bottom skin	ZPX	4.5	
stabilizers	ZPX	4.5	
stabilizer attachment points		4.5	
slider stops		4.5	
slider	ZPX	4.5	
links		4.5	
Left to Right Symmetry		5	
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1			
a5-ust1			
Lower steering (cascade to eyelit)			
Break to toggle			
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		

Reserve Parachute

Desert Skies Parachute Rigging - 520-233-1245 - info@desertskiesrigging.com - www.desertskiesrigging.com

Manufacturer	AERODYNE	customer:	
Type	SMART	date of insp.:	11/23/17
Size	190	inspected by:	JHL
DOM	Mar-15	REPACKS	2
s/n	13015	USES	0
	type	condition	note
Suspension lines	725 TREATED SPECTRA	5	
Steering Lines	1000 TREATED SPECTRA	5	
top skin fabric	F111	5	
bottom skin fabric	F111	5	
crossports		5	
load bearing ribs	F111	5	
non loadbearing ribs	F111	5	
apex - p/c attachment point	F111	5	
center cell center rib	F111	5	
center cell load bearing seams - top skin	F111	5	
center cell load bearing seams - bottom skin	F111	5	
stabilizers	F111	5	
stabilizer attachment points		5	
slider stops		5	
slider	F111	5	
links		5	
Left to Right Symmetry		5	
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1			
a5-ust1			
Lower steering (cascade to eyelit)			
Break to toggle			
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		