

Harness Container

Desert Skies Parachute Rigging - 520-233-1245 - info@desertskeysrigging.com - www.desertskeysrigging.com

Manufacturer	Type	Size	DOM	S/n	Customer name
SUNPATH	JAVELIN	J1 B15	Jun-95	7966	CHRISTINE SMITH
Reserve Capacity	PR143-MR150				Inspected by
Main Capacity	ZP up to 150				JHL
AAD Info	NONE Rig is AAD ready				Date of Insp
Jumps on Rig	311				2/12/17
Owners Dimensions	5'6" 120 lb				
Harness	color - if applicable	cond	type	size / length - if applicable	note
Webbing			TY 7 WEBBING		
3 Ring			CAD		
chest strap			TY 8 WEBBING	18"	
c/s hardware	NA				
l/s hardware			CAD		
mlw			DUAL TY 7, TY 8 WEBBING	15"	
mlw hardware	NA				
housings	STD				
leg straps			DUAL TY 8 WEBBING		
Binding tape					
BOC		4			
leg pads				15"	
Container					
Material					
binding tape					
riser flaps - plastic					
main stiffeners					
reserve stiffeners					
main grommets					
reserve grommets					
reserve handle			D TYPE RING		
Cutaway handle			RED PILLOW		
reserve freebag			STD		
reserve pilot chute			STD		
reserve bridle			STD		
RSL			STD		BRASS SHACKLE
Main Risers			TY 17	20"	VELCRO TOGGLE ATTACHMENTS
Main D Bag			STD		
Main Pilot Chute			F111	28"	
Main P/C handle			BLACK HACKEY		
Ratings					
excellent	5				
good	4				
fair -	3				
poor	2				
not airworthy	1				

Main Parachute

Desert Skies Parachute Rigging - 520-233-1245 - info@desertskiesrigging.com - www.desertskiesrigging.com

Manufacturer	PERFORMANCE DESIGNS	customer:	CHRISTINE SMITH
Type	SPECTRE	date of insp.:	2/12/17
Size	150	inspected by:	JHL
DOM	Sep-01	Buyer	
s/n	5222	Seller	
	type	condition	note
Suspension lines	825 TREATED SPECTRA	5	35 JUMPS ON MAIN
Steering Lines	1000 TREATED SPECTRA	5	
top skin fabric		5	
bottom skin fabric		5	
crossports		5	
load bearing ribs		5	
non loadbearing ribs		5	
apex - p/c attachment point		5	
center cell center rib		5	
center cell load bearing seams - top skin		5	
center cell load bearing seams - bottom skin		5	
stabilizers		5	
stabilizer attachment points		5	
slider stops		5	
slider		5	
links		5	
Left to Right Symmetry		5	
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1		EXCELLENT	
a5-ust1		EXCELLENT	
Lower steering (cascade to eyelit)		EXCELLENT	
Break to toggle		EXCELLENT	
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		

Reserve Parachute

Desert Skies Parachute Rigging - 520-233-1245 - info@desertskiesrigging.com - www.desertskiesrigging.com

Manufacturer	PRECISION	customer:	
Type	MICRO RAVEN	date of insp.:	2/12/17
Size	150	inspected by:	JHL
DOM	Jun-95	REPACKS	
s/n	527230	JUMPS	1 USE
	type	condition	note
Suspension lines	825 TREATED SPECTRA	5	
Steering Lines	1000 TREATED SPECTRA	5	
top skin fabric		5	
bottom skin fabric		5	
crossports		5	
load bearing ribs		5	
non loadbearing ribs		5	
apex - p/c attachment point		5	
center cell center rib		5	
center cell load bearing seams - top skin		5	
center cell load bearing seams - bottom skin		5	
stabilizers		5	
stabilizer attachment points		5	
slider stops		5	
slider		5	
links		5	SS RAPIDE
Left to Right Symmetry		5	
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1		EXCELLENT	
a5-ust1		EXCELLENT	
Lower steering (cascade to eyelit)		EXCELLENT	
Break to toggle		EXCELLENT	
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		