

Harness Container

Desert Skies Parachute Rigging - 520-233-1245 - info@desertsriesrigging.com - www.desertsriesrigging.com

Manufacturer	Type	Size	DOM	S/n	Customer name
SUN PATH	JAVELIN	J2	Aug-00	19342	
Reserve Capacity	160-160				Inspected by
Main Capacity	150-170				JHL
AAD Info	AIRTEC	CYPRES II	Jul-12	78672	Date of Insp
					5-Jun-16
Harness	color - if applicable	cond	type	size / length - if applicable	note
Webbing	BLACK	3.5			
3 Ring		4	SS		
chest strap	BLACK	3	1" TY 17	18"	
c/s hardware		4	SS		
l/s hardware		4	CAD		
mlw	BLACK	3.5		18"	C YOKE - 18" MAIN LIFT WEB
mlw hardware		4	SS		
housings		4	STD		
leg straps	BLACK	3	DUAL TY 8 WEBBING	32"	
Binding tape	BLACK	3.5			
BOC		3.5			
leg pads	BLACK	3		21"	
Container	BLACK / MAROON / MAGENTA PIPING	3.5			
Material	BLACK				
binding tape	BLACK	4			
riser flaps - plastic		3.5			NO CRACKED STIFFENERS, RISER COVERS HAVE SOME BEND / MEMORY
main stiffeners		4			
reserve stiffeners		4			
main grommets		3			
reserve grommets		3			
reserve handle		4	D RING HANDLE		
Cutaway handle	MAROON	4	PILLOW		
reserve freebag		3	STD		
reserve pilot chute		3	STD		
reserve bridle		3			
RSL		4	STD		
Main Risers	BLACK	3	STD		20" STD TYPE 17 WEBBING, CAD HARDWARE
Main D Bag		3	STD		SOME MINOR WEAR AT PC ATTACHMENT POINT
Main Pilot Chute	BLACK	3	STD		28" F111 KILL LINE
Main P/C handle	BLACK	3	HACKEY		
Ratings					
excellent	5				
good	4				
fair -	3				
poor	2				
not airworthy	1				

Main Parachute

Desert Skies Parachute Rigging - 520-233-1245 - info@desertsiesrigging.com - www.desertsiesrigging.com

Manufacturer	PERFORMANCE DESIGN	customer:	
Type	SPECTRE	date of insp.:	5-Jun-16
Size	170	inspected by:	JHL
DOM	Oct-03	Buyer	
s/n	6375	Seller	
	type	condition	note
Suspension lines	750 VECTRAN	5	BRAND NEW LINESET
Steering Lines	1000 VECTRAN	5	BRAND NEW LINESET
top skin fabric		3	ONE SMALL PATCH, TOP SKIN, NEAR TRAILING EDGE, LEFT OF CENTER CELL
bottom skin fabric		4	
crossports		3	
load bearing ribs		4	
non loadbearing ribs		4	
apex - p/c attachment point		3	
center cell center rib		4	
center cell load bearing seams - top skin		4	
center cell load bearing seams - bottom skin		4	
stabilizers		3	
stabilizer attachment points		3	
slider stops		3	
slider		3	
links	SOFT	3	
Left to Right Symmetry		GOOD	RELINED - FACTORY SPEC
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1			RELINED - FACTORY SPEC
a5-ust1			RELINED - FACTORY SPEC
Lower steering (cascade to eyelit)			RELINED - FACTORY SPEC
Break to toggle			RELINED - FACTORY SPEC
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		

Reserve Parachute

Desert Skies Parachute Rigging - 520-233-1245 - info@desertskiesrigging.com - www.desertskiesrigging.com

Manufacturer	PERFORMANCE DESIGNS	customer:	
Type	RESERVE	date of insp.:	5-Jun-16
Size	160	inspected by:	JHL
DOM	Jul-00		28 REPACKS - 3 USES
s/n	22169		
	type	condition	note
Suspension lines	725 UNTREATED SPECTRA	4	
Steering Lines	1000 UNTREATED SPECTRA	4	
top skin fabric	F111	4	
bottom skin fabric	F111	4	
crossports		4	
load bearing ribs	F111	4	
non loadbearing ribs	F111	4	
apex - p/c attachment point		4	
center cell center rib	F111	4	
center cell load bearing seams - top skin		4	
center cell load bearing seams - bottom skin		4	
stabilizers	F111	4	
stabilizer attachment points		4	
slider stops		4	
slider	F111	4	
links	#4 SS RAPIDE	4	
Left to Right Symmetry			GOOD
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1		FACTORY	
a5-ust1		FACTORY	
Lower steering (cascade to eyelit)		FACTORY	
Break to toggle		FACTORY	BRK - TOGGLE LINES REPLACED -W- 1000 UNTREATED SPECTRA - SET TO FACTORY DIMENSIONS
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		