

Harness Container

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertskiesrigging.com](mailto:info@desertskiesrigging.com) - [www.desertskiesrigging.com](http://www.desertskiesrigging.com)

Manufacturer	Type	Size	DOM	S/n	Customer name
Reserve Capacity					Inspected by
Main Capacity					
AAD Info					Date of Insp
Harness	color - if applicable	cond	type	size / length - if applicable	note
Webbing					
3 Ring					
chest strap					
c/s hardware					
I/s hardware					
mlw					
mlw hardware					
housings					
leg straps					
Binding tape					
BOC					
leg pads					
Container					
Material					
binding tape					
riser flaps - plastic					
main stiffeners					
reserve stiffeners					
main grommets					
reserve grommets					
reserve handle					
Cutaway handle					
reserve freebag					
reserve pilot chute					
reserve bridle					
RSL					
Main Risers					
Main D Bag					
Main Pilot Chute					
Main P/C handle					
Ratings					
excellent	5				
good	4				
fair -	3				
poor	2				
not airworthy	1				

Main Parachute

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertskiesrigging.com](mailto:info@desertskiesrigging.com) - [www.desertskiesrigging.com](http://www.desertskiesrigging.com)

Manufacturer	PERFORMANCE DESIGNS	customer:	
Type	PULSE	date of insp.:	8/26/16
Size	190 / PO2	inspected by:	JHL
DOM	Nov-14	Buyer	
s/n	2430	Seller	
	type	condition	note
Suspension lines	750 VECTRAN	3	
Steering Lines	1000 VECTRAN	4	
top skin fabric	ZP	4	
bottom skin fabric	LOW BULK	4	
crossports		4	
load bearing ribs		4	
non loadbearing ribs		4	
apex - p/c attachment point		4	
center cell center rib		4	
center cell load bearing seams - top skin		4	
center cell load bearing seams - bottom skin		4	
stabilizers		4	
stabilizer attachment points		4	
slider stops		4	
slider		4	
links		4	
Left to Right Symmetry		GOOD	
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1	N/A VECTRAN	N/A VECTRAN	VECTRAN LINED CANOPY - VECTRAN IS DIMENSIONALLY STABLE
a5-ust1	N/A VECTRAN	N/A VECTRAN	
Lower steering (cascade to eyelit)			
Break to toggle			
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		

## Reserve Parachute

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertskiesrigging.com](mailto:info@desertskiesrigging.com) - [www.desertskiesrigging.com](http://www.desertskiesrigging.com)

Manufacturer		customer:	
Type		date of insp.:	
Size		inspected by:	
DOM			
s/n			
	type	condition	note
Suspension lines			
Steering Lines			
top skin fabric			
bottom skin fabric			
crossports			
load bearing ribs			
non loadbearing ribs			
apex - p/c attachment point			
center cell center rib			
center cell load bearing seams - top skin			
center cell load bearing seams - bottom skin			
stabilizers			
stabilizer attachment points			
slider stops			
slider			
links			
Left to Right Symmetry			
<b>TRIM DIFFERENTIAL</b>	<b>FACTORY</b>	<b>OUR MEASURE</b>	<b>DIFF</b>
a5-a1			
a5-ust1			
Lower steering (cascade to eyelit)			
Break to toggle			
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		