

## Harness Container

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertsriesrigging.com](mailto:info@desertsriesrigging.com) - [www.desertsriesrigging.com](http://www.desertsriesrigging.com)

Manufacturer	Type	Size	DOM	S/n	Customer name
UPT	VECTOR IIIM	V310	Jun-12	54885	
Reserve Capacity	120-150				Inspected by
Main Capacity	120-150				JHL
AAD Info	NONE				Date of Insp 4-Jul-16
Harness	color - if applicable	cond	type	size / length - if applicable	note
Webbing		4	TYPE 7		
3 Ring		4	SS RW8 MINI		
chest strap		4	1 3/4" TY 8	STD	
c/s hardware		4	NA		
l/s hardware		4	SS SP888		
mlw		4	TYPE 7	19.5"	
Hip Lateral		4		+ 1"	
mlw hardware		4	SS RW8 MINI		
housings		4	STD		
leg straps		4	TYYPE 8 DUAL LAYER		
Binding tape		4			
BOC		4			
Backpad		4			SPACER FOAM
leg pads		4			SPACER FOAM
Container					
Material					
binding tape		4			
riser flaps - plastic		4			MAGNETIC RISER COVERS
main stiffeners		4			
reserve stiffeners		4			
main grommets		4			
reserve grommets		4			
reserve handle	GREY	4			2 HANDLES, ONE GREY PILLOW, ONE D RING - BOTH HAVE BUNGY RESERVE CABLE
Cutaway handle		4			
reserve freebag		4			
reserve pilot chute		4			
reserve bridle		4			
RSL		4	SKYHOOK		
Main Risers		4	TYPE 17 SS	24"	
Main D Bag		4	STD		
Main Pilot Chute		4	ZP	24"	
Main P/C handle		4	FF HANDLE		
Ratings					
excellent	5				
good	4				
fair -	3				
poor	2				
not airworthy	1				

Main Parachute

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertskiesrigging.com](mailto:info@desertskiesrigging.com) - [www.desertskiesrigging.com](http://www.desertskiesrigging.com)

Manufacturer		customer:	
Type		date of insp.:	
Size		inspected by:	
DOM		Buyer	
s/n		Seller	
	type	condition	note
Suspension lines			
Steering Lines			
top skin fabric			
bottom skin fabric			
crossports			
load bearing ribs			
non loadbearing ribs			
apex - p/c attachment point			
center cell center rib			
center cell load bearing seams - top skin			
center cell load bearing seams - bottom skin			
stabilizers			
stabilizer attachment points			
slider stops			
slider			
links			
Left to Right Symmetry			
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1			
a5-ust1			
Lower steering (cascade to eyelit)			
Break to toggle			
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		

## Reserve Parachute

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertskiesrigging.com](mailto:info@desertskiesrigging.com) - [www.desertskiesrigging.com](http://www.desertskiesrigging.com)

Manufacturer	PERFORMANCE DESIGNS	customer:	AARON DONZE
Type	PR143	date of insp.:	4-Jul-16
Size	143	inspected by:	<b>JHL</b>
DOM	Apr-12		9 REPACKS
s/n	49304		1 USE
	<b>type</b>	<b>condition</b>	<b>note</b>
Suspension lines	725 UNTREATED SPECTRA	5	
Steering Lines	1000 UNTREATED SPECTRA	5	
top skin fabric		5	
bottom skin fabric		5	
crossports		5	
load bearing ribs		5	
non loadbearing ribs		5	
apex - p/c attachment point		5	
center cell center rib		5	
center cell load bearing seams - top skin		5	
center cell load bearing seams - bottom skin		5	
stabilizers		5	
stabilizer attachment points		5	
slider stops		5	
slider		5	
links		5	
Left to Right Symmetry		5	
<b>TRIM DIFFERENTIAL</b>	<b>FACTORY</b>	<b>OUR MEASURE</b>	<b>DIFF</b>
a5-a1			
a5-ust1			
Lower steering (cascade to eyelit)			
Break to toggle			
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		