

## Harness Container

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertskiesrigging.com](mailto:info@desertskiesrigging.com) - [www.desertskiesrigging.com](http://www.desertskiesrigging.com)

Manufacturer	Type	Size	DOM	S/n		
SUNRISE RIGGING	WINGS	W5	Apr-04	3392		
Reserve Capacity						
Main Capacity						
AAD Info	AIRTEC	CYPRES	Aug-07 DUE FOR MAINT	36680		
Harness	color - if applicable	cond	type	size / length - if applicable	note	
Webbing	BLUE	4	TY 7			
3 Ring	SS	4	444SS			
chest strap	BLUE	3	TY 17 1"	17"	COSMETIC WEAR	
c/s hardware		4				
l/s hardware	SS	4	SP888			
mlw	BLUE	4	TY 7	14"		
mlw hardware		4	SS			
housings	STD	4				
leg straps	BLUE	4	TY 7	40"		
Binding tape		4				
BOC		4				
leg pads	BLUE	4	STD PADDING	20"		
Container	BLUE	4				
Material	CORDURA	4				
binding tape		4				
riser flaps - plastic		4				
main stiffeners		4				
reserve stiffeners		4				
main grommets		4				
reserve grommets		4				
reserve handle		4	RED PULL TOW			
Cutaway handle		4	RED			
reserve freebag		4	STD			
reserve pilot chute		4	STD			
reserve bridle		4	STD			
RSL		4	NONE			
Main Risers		4	TY 17 1"	20"		
Main D Bag		4	STD			
Main Pilot Chute		4				
Main P/C handle	BLACK	BRAND	ZP KILL	24"		
Ratings						
excellent	5					
good	4					
fair -	3					
poor	2					
not airworthy	1					

RESERVE Parachute

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertsriesrigging.com](mailto:info@desertsriesrigging.com) - [www.desertsriesrigging.com](http://www.desertsriesrigging.com)

Manufacturer	PRECISION	customer:	
Type	RMAX	date of insp.:	
Size	118	inspected by:	
DOM	Aug-03	3 REPACKS	
s/n	60341428	0 USES	
	type	condition	note
Suspension lines	825 SPECTRA	5	
Steering Lines	1000 SPECTRA	5	
top skin fabric	F111	5	
bottom skin fabric	F111	5	
crossports		5	
load bearing ribs	F111	5	
non loadbearing ribs	F111	5	
apex - p/c attachment point	STD	5	
center cell center rib	F111	5	
center cell load bearing seams - top sk	F111	5	
center cell load bearing seams - botto	F111	5	
stabilizers	F111	5	
stabilizer attachment points	STD	5	
slider stops	STD	5	
slider	F111	5	
links	F111	5	
Left to Right Symmetry	OK		
TRIM DIFFERENTIAL	FACTORY	OUR MEASURE	DIFF
a5-a1			
a5-ust1			
Lower steering (cascade to eyelit)			
Break to toggle			
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		

MAIN Parachute

Desert Skies Parachute Rigging - 520-233-1245 - [info@desertskiesrigging.com](mailto:info@desertskiesrigging.com) - [www.desertskiesrigging.com](http://www.desertskiesrigging.com)

Manufacturer	PERFORMANCE DES	customer:	
Type	STILLETTO	date of insp.:	
Size	120	inspected by:	
DOM	Feb-99		
s/n			
	type	condition	note
Suspension lines	825 SPECTRA	3	
Steering Lines	1000 SPECTRA	2	
top skin fabric	ZP	3	FADING ON TOP SKIN ESPECIALLY ORANGE PANELS, 2 PATCHES ON TOP SKIN, ONE SMALL ONE MEDIUM, BOTH ACROSS NON LOAD BEARING RIB SEAM
bottom skin fabric	ZP	3.5	
crossports		3.5	
load bearing ribs	ZP	3.5	
non loadbearing ribs	ZP	3.5	
apex - p/c attachment point	ZP	3.5	
center cell center rib	ZP	3.5	
center cell load bearing seams - top sk	ZP	3.5	
center cell load bearing seams - botton	ZP	3.5	
stabilizers	ZP	3.5	
stabilizer attachment points	STD	3.5	
slider stops	STD	3.5	
slider	ZP	3.5	SS GROMMETS, DUAL KILL LINE
links		3.5	PD SOFT LINKS
Left to Right Symmetry		3.5	OK
<b>TRIM DIFFERENTIAL</b>	<b>FACTORY - in</b>	<b>OUR MEASURE - in</b>	<b>DIFF</b>
a5-a1	0.375	3.5	3.125
a5-ust1	14.375	12.125	-2.25
Lower steering (cascade to eyelit)	87.75	85.5	-2.25
Break to toggle	15.5	15.5	0
excellent	5		
good	4		
fair -	3		
poor	2		
not airworthy	1		