

		# of jumps	owner dimensions	AAD info:
Manufacturer	SRI	est 500	5'8", 70 kg or 155 lb	Airtect
Type	WINGS			cypres II
Size	W8EXT		Note: owner says rig is slightly large on him	4 yr inspection 2011
DOM	Oct 1, 2003		and would optimally fit someone up to 6'	Jun 1, 2007
S/n	3048			35464
Harness	color - if applicable	cond	type	size / length - if applicable
				note
Webbing	GRY		4 TY 7	
3 Ring			4 CAD	
chest strap	GRY		4 TY 17	21"
c/s hardware			4 CAD	
l/s hardware			4 CAD	
mlw	GRY		4 TY 7	15"
mlw hardware			4	
housings			4	
LEG STRAPS	GRY		3 TY 7	
LEG PADS	GRY		3	20"
Container	LT BLU/WHT TYE DYE		4	
Material	cordura			
binding tape			4	
riser flaps - plastic			4	
main stiffeners			4	
reserve stiffeners			4	
main grommets			4	
reserve grommets			4	
reserve handle	LT BLU/WHT TYE DYE		4 PILLOW	
Cutaway handle	LT BLU/WHT		4 PILLOW	
reserve freebag			4 STD	
reserve pilot chute			4 STD	
reserve bridle			4 STD	
RSL			NONE	
Main Risers	BLK		4 TY 17 SS	
Main D Bag			4 STD	
Main Pilot Chute			4 ZP COLLAPSE	
Main P/C handle	BLK		4 BLK HACKY	

Manufacturer	PD		13 REPACKS		
Type	PR		2 USES		
Size		143			
DOM		Mar-03			
s/n	028845				
	type	condition			
Suspension lines	725 SPECTRA		5		
Steering Lines	1000 SPECTRA		5		
top skin fabric	0-3 CFM		5		
bottom skin fabric	0-3 CFM		5		
crossports	0-3 CFM		5		
load bearing ribs	0-3 CFM		5		
non loadbearing ribs	0-3 CFM		5		
apex - p/c attachment point	0-3 CFM		5		
center cell center rib	0-3 CFM		5		
center cell load bearing seams - top skin	0-3 CFM		5		
center cell load bearing seams - bottom skin	0-3 CFM		5		
stabilizers	0-3 CFM		5		
stabilizer attachment points	STD		5		
slider stops	STD		5		
slider	0-3 CFM		5		
links	PD SOFT		5		
Trim differential					
a5-a1		NA			
a5-ust1		NA			
brk - toggle		NA			
Ratings					
excellent		5			
good		4			
fair -		3			
poor		2			

Manufacturer	PD	700 JUMPS	
Type	SABRE II	200 JUMPS ON LNESET	
Size		150	
DOM		Jul-01	
s/n	SA150-000028		
	type	condition	note
Suspension lines	825 SPECTRA	4	
Steering Lines	1000 SPECTRA	3	
top skin fabric	ZP	3	SOME FADING AND DUST EXPOSURE
bottom skin fabric	ZP	4	
crossports		4	
load bearing ribs	ZP	4	
non loadbearing ribs	ZP	4	
apex - p/c attachment point	ZP	4	
center cell center rib	ZP	4	
center cell load bearing seams - top skin	ZP	4	
center cell load bearing seams - bottom skin	ZP	4	
stabilizers	ZP	4	
stabilizer attachment points	STD	4	
slider stops	STD	4	
slider links			
Trim differential	FACTORY	MEASURE	RATING
a5-a1	1/8"	2"	4
a5-ust1	13 1/8"	11"	4
brk - toggle	18 5/8"	18 1/2"	4
LST	92 1/8"	88	3