

|                              |                       |            |                       |                               |   |
|------------------------------|-----------------------|------------|-----------------------|-------------------------------|---|
|                              |                       | # of jumps | owner dimensions      | AAD info:                     |   |
| <b>Manufacturer</b>          | SRI                   | est 500    | 5'8", 70 kg or 155 lb | Airtec                        |   |
| <b>Type</b>                  | WINGS                 |            |                       | cypres II                     |   |
| <b>Size</b>                  | W8EXT                 |            |                       | 4 yr inspection 2011          |   |
| <b>DOM</b>                   | Oct 1, 2003           |            |                       | 6/1/2007 - expires Dec 2019   |   |
| <b>S/n</b>                   | 3048                  |            |                       | 35464                         |   |
|                              |                       |            |                       |                               |   |
| <b>Harness</b>               | color - if applicable | cond       | type                  | size / length - if applicable | note  |
| <b>Webbing</b>               | GRY                   |            | 4 TY 7                |                               |   |
| <b>3 Ring</b>                |                       |            | 4 CAD                 |                               |   |
| <b>chest strap</b>           | GRY                   |            | 5 TY 17               | 21"                           | REPLACED WITH NEW HARDWARE AND WEBBING  |
| <b>c/s hardware</b>          |                       |            | 4 CAD                 |                               |   |
| <b>l/s hardware</b>          |                       |            | 4 CAD                 |                               |   |
| <b>mlw</b>                   | GRY                   |            | 4 TY 7                | 15"                           | NOTE: MANUFACTURER INFORMS ME THAT THIS HARNESS WAS BUILT FOR SOMEONE 67" - 72" IN HEIGHT, 160-180 LBS, 22"-24" THIGHS, 34" WAIST |
| <b>mlw hardware</b>          |                       |            | 4                     |                               | NOTED ABOVE PRESENT OWNER IS 5'8" 155LB. HE STATES RIG WAS COMFORTABLE BUT SLIGHTLY LARGE FOR HIM                                 |
| <b>housings</b>              |                       |            | 4                     |                               |   |
| <b>LEG STRAPS</b>            | GRY                   |            | 5 TY 7                |                               | REPLACED WITH NEW HARDWARE AND WEBBING  |
| <b>LEG PADS</b>              | GRY                   |            | 3                     | 20"                           |   |
| <b>Container</b>             | LT BLU/WHT<br>TYE DYE |            | 4                     |                               |   |
| <b>Material</b>              | cordura               |            |                       |                               |   |
| <b>binding tape</b>          |                       |            | 4                     |                               |   |
| <b>riser flaps - plastic</b> |                       |            | 4                     |                               |   |
| <b>main stiffeners</b>       |                       |            | 4                     |                               |   |
| <b>reserve stiffeners</b>    |                       |            | 4                     |                               |   |
| <b>main grommets</b>         |                       |            | 4                     |                               |   |
| <b>reserve grommets</b>      |                       |            | 4                     |                               |   |
| <b>reserve handle</b>        | LT BLU/WHT<br>TYE DYE |            | 4 PILLOW              |                               |   |
| <b>Cutaway handle</b>        | LT BLU/WHT            |            | 4 PILLOW              |                               |   |
| <b>reserve freebag</b>       |                       |            | 4 STD                 |                               |   |
| <b>reserve pilot chute</b>   |                       |            | 4 STD                 |                               |   |
| <b>reserve bridle</b>        |                       |            | 4 STD                 |                               |   |
| <b>RSL</b>                   |                       |            | NONE                  |                               |   |
| <b>Main Risers</b>           | BLK                   |            | 4 TY 17 SS            |                               |   |
| <b>Main D Bag</b>            |                       |            | 4 STD                 |                               |   |
| <b>Main Pilot Chute</b>      |                       |            | 4 ZP COLLAPSE         |                               |   |
| <b>Main P/C handle</b>       | BLK                   |            | 4 BLK HACKY           |                               |   |
|                              |                       |            |                       |                               |   |
|                              |                       |            |                       |                               |   |

|  |              |           |            |  |  |
|--|--------------|-----------|------------|--|--|
| Manufacturer                                 | PD           |           | 13 REPACKS |  |  |
| Type   | PR           |           | 2 USES     |  |  |
| Size   |              | 143       |            |  |  |
| DOM  |              | Mar-03    |            |  |  |
| s/n  | 028845       |           |            |  |  |
|  |              |           |            |  |  |
|  | type         | condition |            |  |  |
| Suspension lines                             | 725 SPECTRA  |           | 5          |  |  |
| Steering Lines                               | 1000 SPECTRA |           | 5          |  |  |
| top skin fabric                              | 0-3 CFM      |           | 5          |  |  |
| bottom skin fabric                           | 0-3 CFM      |           | 5          |  |  |
| crossports                                   | 0-3 CFM      |           | 5          |  |  |
| load bearing ribs                            | 0-3 CFM      |           | 5          |  |  |
| non loadbearing ribs                         | 0-3 CFM      |           | 5          |  |  |
| apex - p/c attachment point                  | 0-3 CFM      |           | 5          |  |  |
| center cell center rib                       | 0-3 CFM      |           | 5          |  |  |
| center cell load bearing seams - top skin    | 0-3 CFM      |           | 5          |  |  |
| center cell load bearing seams - bottom skin | 0-3 CFM      |           | 5          |  |  |
| stabilizers                                  | 0-3 CFM      |           | 5          |  |  |
| stabilizer attachment points                 | STD          |           | 5          |  |  |
| slider stops                                 | STD          |           | 5          |  |  |
| slider                                       | 0-3 CFM      |           | 5          |  |  |
| links  | PD SOFT      |           | 5          |  |  |
|  |              |           |            |  |  |
| Trim differential                            |              |           |            |  |  |
| a5-a1  |              | NA        |            |  |  |
| a5-ust1                                      |              | NA        |            |  |  |
| brk - toggle                                 |              | NA        |            |  |  |
|  |              |           |            |  |  |
| Ratings                                      |              |           |            |  |  |
| excellent                                    |              | 5         |            |  |  |
| good   |              | 4         |            |  |  |
| fair -                                       |              | 3         |            |  |  |
| poor   |              | 2         |            |  |  |

|  |              |                     |                               |
|--|--------------|---------------------|-------------------------------|
| Manufacturer                                 | PD           | 700 JUMPS           |                               |
| Type   | SABRE II     | 200 JUMPS ON LNESET |                               |
| Size   |              | 150                 |                               |
| DOM  |              | Jul-01              |                               |
| s/n  | SA150-000028 |                     |                               |
|  | type         | condition           | note                          |
| Suspension lines                             | 825 SPECTRA  | 5                   | NEW                           |
| Steering Lines                               | 1000 SPECTRA | 5                   | NEW                           |
| top skin fabric                              | ZP           | 3                   | SOME FADING AND DUST EXPOSURE |
| bottom skin fabric                           | ZP           | 4                   |                               |
| crossports                                   |              | 4                   |                               |
| load bearing ribs                            | ZP           | 4                   |                               |
| non loadbearing ribs                         | ZP           | 4                   |                               |
| apex - p/c attachment point                  | ZP           | 4                   |                               |
| center cell center rib                       | ZP           | 4                   |                               |
| center cell load bearing seams - top skin    | ZP           | 4                   |                               |
| center cell load bearing seams - bottom skin | ZP           | 4                   |                               |
| stabilizers                                  | ZP           | 4                   |                               |
| stabilizer attachment points                 | STD          | 4                   |                               |
| slider stops                                 | STD          | 4                   |                               |
| slider links                                 |              |                     |                               |
| Trim differential                            | FACTORY      | MEASURE             | RATING                        |
| a5-a1  | 1/8"         | 2.5"                | 4                             |
| a5-ust1                                      | 13 1/8"      | 11"                 | 4                             |
| brk - toggle                                 | 18 5/8"      | 18 1/2"             | 4                             |
| LST  | 92 1/8"      | 90.5"               | 4                             |