

Manufacturer	SRI				
Type	WING				
Size	W8EXT				
DOM	Oct 1, 2003				
S/n	3048				
Harness	color - if applicable	cond	type	size / length - if applicable	note
Webbing	GRY		4 TY 7		
3 Ring			4 CAD		
chest strap	GRY		4 TY 17	21"	
c/s hardware			4 CAD		
l/s hardware			4 CAD		
mlw	GRY		4 TY 7	15"	
mlw hardware			4		
housings			4		
LEG STRAPS	GRY		3 TY 7		
LEG PADS	GRY		3	20"	
Container	LT BLU/WHT TYE DYE		4		
Material	cordura				
binding tape			4		
riser flaps - plastic			4		
main stiffeners			4		
reserve stiffeners			4		
main grommets			4		
reserve grommets			4		
reserve handle	LT BLU/WHT TYE DYE		4 PILLOW		
Cutaway handle	LT BLU/WHT		4 PILLOW		
reserve freebag			4 STD		
reserve pilot chute			4 STD		
reserve bridle			4 STD		
RSL			NONE		
Main Risers	BLK		4 TY 17 SS		
Main D Bag			4 STD		
Main Pilot Chute			4 ZP COLLAPSE		
Main P/C handle	BLK		4 BLK HACKY		

Manufacturer	PD		13 REPACKS		
Type	PR		2 USES		
Size		143			
DOM		Mar-03			
s/n	028845				
	type	condition			
Suspension lines	725 SPECTRA		5		
Steering Lines	1000 SPECTRA		5		
top skin fabric	0-3 CFM		5		
bottom skin fabric	0-3 CFM		5		
crossports	0-3 CFM		5		
load bearing ribs	0-3 CFM		5		
non loadbearing ribs	0-3 CFM		5		
apex - p/c attachment point	0-3 CFM		5		
center cell center rib	0-3 CFM		5		
center cell load bearing seams - top skin	0-3 CFM		5		
center cell load bearing seams - bottom skin	0-3 CFM		5		
stabilizers	0-3 CFM		5		
stabilizer attachment points	STD		5		
slider stops	STD		5		
slider	0-3 CFM		5		
links	PD SOFT		5		
Trim differential					
a5-a1		NA			
a5-ust1		NA			
brk - toggle		NA			
Ratings					
excellent		5			
good		4			
fair -		3			
poor		2			

Manufacturer	PD	700 JUMPS	
Type	SABRE II	200 JUMPS ON LNESET	
Size		150	
DOM		Jul-01	
s/n	SA150-000028		
	type	condition	note
Suspension lines	825 SPECTRA	4	
Steering Lines	1000 SPECTRA	3	
top skin fabric	ZP	3	SOME FADING AND DUST EXPOSURE
bottom skin fabric	ZP	4	
crossports		4	
load bearing ribs	ZP	4	
non loadbearing ribs	ZP	4	
apex - p/c attachment point	ZP	4	
center cell center rib	ZP	4	
center cell load bearing seams - top skin	ZP	4	
center cell load bearing seams - bottom skin	ZP	4	
stabilizers	ZP	4	
stabilizer attachment points	STD	4	
slider stops	STD	4	
slider links			
Trim differential	FACTORY	MEASURE	RATING
a5-a1	1/8"	2"	4
a5-ust1	13 1/8"	11"	4
brk - toggle	18 5/8"	18 1/2"	4
LST	92 1/8"	88	3